



GABLER

REFRIGERATION OR DEEP-FREEZING – ONE TEMPERATURE RANGE

THE TECHNICAL ADVANTAGES OF STANDARD GABLER CONTAINERS

- Refrigeration system installed in the container (low-noise technology)
- Use of semi-hermetic, performance-controlled refrigeration compressor
- Installed cooling capacity guarantees the desired room temperature, even when outside temperatures are extremely high
- Air-cooled condenser, designed for an ambient temperature of +37°C
- Electric control cabinet is easily accessible
- Temperature can be set and changed very easily
- Containers can be placed on the floor or on a loading ramp by means of an exchange platform
- Floor is easy to clean
- Floor load capacity 1000 Kp/m²
- Containers come with SMS error message feature
- Containers are built according to the HACCP standard
- SUVA-compliant personal protection device
- When empty, the containers can be moved at any time using a forklift truck
- Particularly flexible with regard to our customers individual wishes and requirements
- Insulation 100 or 140 mm
- Base in stainless steel with TRI sheet metal
- On-site power connection

POSSIBLE APPLICATIONS

Food | Pharma | Chemistry | Gastro | Catering | Events/Open-air

STANDARD CONTAINER 3 METER



REFRIGERATED/DEEP-FREEZE CONTAINER 10 FT

Number of euronorm dare	6
Outer dimensions	3000 x 2438 x 2564
Inner dimensions	1795 x 2138 x 2280
Room temperature	0 / +8°C bzw. -22°C
Connected load	2 KW
Max. operating current	13 A
Voltage V/Hz/Ph	400 / 50 / 3
Pre-fuse	16 AT
Plug connection	CEE 32A 5P
Door dimensions	1000 x 2000
Container empty	1700 kg



GABLER


STANDARD CONTAINER 4.5 METER



REFRIGERATED/DEEP-FREEZE CONTAINER 15 FT

Number of euronorm dare	13
Outer dimensions	4543 x 2438 x 2564
Inner dimensions	3338 x 2138 x 2280
Room temperature	0 / +8°C bzw. -22°C
Connected load	2 KW
Max. operating current	13 A
Voltage V/Hz/Ph	400 / 50 / 3
Pre-fuse	16 AT
Plug connection	32 A 5P
Door dimensions	1000 x 2000
Container empty	2500 kg

STANDARD CONTAINER 6 METER



REFRIGERATED/DEEP-FREEZE CONTAINER 20 FT

Number of pallets	9
Outer dimensions	6058 x 2438 x 2564
Inner dimensions	4853 x 2118 x 2280
Room temperature	0 / +8°C bzw. -22°C
Connected load	2 KW
Max. operating current	13 A
Voltage V/Hz/Ph	400 / 50 / 3
Pre-fuse	16 AT
Plug connection	32 A 5P
Door dimensions	1000 x 2000
Container empty	3200 kg

STANDARD CONTAINER 6 METER PLUS



REFRIGERATED/DEEP-FREEZE CONTAINER 20 FT PLUS

Number of pallets	12
Outer dimensions	6100 x 2980 x 2885
Inner dimensions	4775 x 2580 x 2435
Room temperature	0 / +8°C bzw. -22°C
Connected load	2 KW
Max. operating current	13 A
Voltage V/Hz/Ph	400 / 50 / 3
Pre-fuse	16 AT
Plug connection	32 A 5P
Door dimensions	2000 x 2000
Container empty	3820 kg



GABLER

STANDARD CONTAINER 7.5 METER



REFRIGERATED/DEEP-FREEZE CONTAINER 25 FT

Number of pallets	12
Outer dimensions	7618 x 2438 x 2524
Inner dimensions	6465 x 2130 x 2215
Room temperature	0 / +8°C bzw. -22°C
Connected load	3 KW
Max. operating current	17 A
Voltage V/Hz/Ph	400 / 50 / 3
Pre-fuse	20 AT
Plug connection	32 A 5P
Door dimensions	1800 x 2000, 2-flg.
Container empty	4200 kg

STANDARD CONTAINER 7.5 METER PLUS



REFRIGERATED/DEEP-FREEZE CONTAINER 25 FT PLUS

Number of pallets	15
Outer dimensions	7480 x 2980 x 2900
Inner dimensions	6170 x 2580 x 2435
Room temperature	0 / +8°C bzw. -22°C
Connected load	5 KW
Max. operating current	13 A
Voltage V/Hz/Ph	400 / 50 / 3
Pre-fuse	16 AT
Plug connection	32 A 5P
Door dimensions	2000 x 2000, 2-flg.
Container empty	4200 kg